



SMD 3528 LED Strip

Picture	Item No.	Color	Wave Length(nm) or Color Temperature	Input Voltage	LED Space (mm)	Lumen /M	Power (W) /Meter	Cuttable Unit	Packing
---------	----------	-------	--------------------------------------	---------------	----------------	----------	------------------	---------------	---------


SMD3528 LED Strips with 30 LEDs/M

	FZ030C81-RX	Red	620-630nm	12V/24V DC	33	45	2.4W	3 LEDs	5m/Reel
	FZ030C81-YX	Yellow	585-595nm			50	2.4W		
	FZ030C81-BX	Blue	465-475nm			30	2.4W		
	FZ030C81-GX	Green	520-530nm			120	2.4W		
	FZ030C81-PW	White	5000-7000K			150	2.4W		
	FZ030C81-WW	Warm White	3000-3800			120	2.4W		

SMD3528 LED Strips with 60 LEDs/M


	FZ060C81-RX	Red	620-630nm	12V/24V DC	16.7	90	4.8W	3 LEDs	5m/Reel
	FZ060C81-YX	Yellow	585-595nm			100	4.8W		
	FZ060C81-BX	Blue	465-475nm			60	4.8W		
	FZ060C81-GX	Green	520-530nm			240	4.8W		
	FZ060C81-PW	White	5000-7000K			300	4.8W		
	FZ060C81-WW	Warm White	3000-3800			240	4.8W		


SMD3528 LED Strips with 120 LEDs/M

	FZ0120C81-RX	Red	620-630nm	12V/24V DC	8.3	180	9.6W	3 LEDs	5m/Reel
	FZ0120C81-YX	Yellow	585-595nm			200	9.6W		
	FZ0120C81-BX	Blue	465-475nm			120	9.6W		
	FZ0120C81-GX	Green	520-530nm			480	9.6W		
	FZ0120C81-PW	White	5000-7000K			600	9.6W		
	FZ0120C81-WW	Warm White	3000-3800			480	9.6W		



SMD 5050 LED Strip

SMD5050 LED Strips with 30 LEDs/M



	FZ030BA1-RX	Red	620-630nm	12V/24V DC	33	135	7.2W	3 LEDs	5m/Reel
	FZ030BA1-YX	Yellow	585-595nm			135	7.2W		
	Fz030BA1-BX	Blue	465-475nm			90	7.2W		
	FZ030BA1-GX	Green	520-530nm			360	7.2W		
	FZ030BA1-PW	White	5000-7000K			480	7.2W		

	FZ030BA1-WW	Warm White	3000-3800			450	7.2W		
	FZ030BA1-FX		620-630nm			change color	7.2W		
		RGB	520-530nm						
			465-475nm						

SMD5050 LED Strips with 48 LEDs/M

 	FZ048BA1-RX	Red	620-630nm	12V/24V DC	20.8	216	11.5W	3 LEDs	5m/Reel
	FZ048BA1-YX	Yellow	585-595nm			216	11.5W		
	FZ048BA1-BX	Blue	465-475nm			144	11.5W		
	FZ048BA1-GX	Green	520-530nm			400	11.5W		
	FZ048BA1-PW	White	5000-7000K			768	11.5W		
	FZ048BA1-WW	Warm White	3000-3800			720	11.5W		
	FZ048BA1-FX		620-630nm			change color	11.5W		
		RGB	520-530nm						
			465-475nm						

SMD5050 LED Strips with 60 LEDs/M

 	FZ060BA1-RX	Red	620-630nm	12V/24V DC	16.7	270	14.4W	3 LEDs	5m/Reel
	Fz060BA1-YX	Yellow	585-595nm			270	14.4W		
	FZ060BA1-BX	Blue	465-475nm			180	14.4W		
	FZ060BA1-GX	Green	520-530nm			720	14.4W		
	FZ060BA1-PW	White	5000-7000K			960	14.4W		
	FZ060BA1-WW	Warm White	3000-3800			900	14.4W		
	FZ060BA1-FX		620-630nm			change color	14.4W		
		RGB	520-530nm						
			465-475nm						

Flexible LED Strip Features:

ARK Lighting LED strip come in Blue, Green, Red, White, Orange, UV - BlackLight, Pink, and Million color and flexible. The LED strip can be cut every 3 groups of LEDs so that you can use any size you want to put LED strip to any places.

- © Water-resistant, IP65-67
- © LED Strip Use trinity-SMD LED as lightsource, feature with high-brightness and color uniformity
- © The FPC circuit board makes SMD LED strip easily to be bent (thickness: 0.15mm)
- © 3 LEDs as a smallest group that can be separable the LED strip along the cut mark
- © Operating temperature: -40 to 80°C
- © Each 3 LEDs has an IC to enable SMD LED strip work with constant current

- ◎ Designed with two solder pins, enable SMD LED strip convenient for connection
- ◎ Different colors available for your selection
- ◎ Various colors including single color
- ◎ 5meter/reel for standard length, different length available
- ◎ Solid-state, high shock / vibration resistant
- ◎ Maintenance free, easy installation
- ◎ Long life 100, 000+ hrs (10+ years). White leds, 50, 000+ hrs

How to run SMD flexible LED strip light

- We offer connectors after you cut the LED strip
- We offer wireless controller for multicolor type strip
- We offer suitable power adapters
- All you need to is to connect the necessary fittings, peel off the 3M type and light it up